



Texas Water Development Board Groundwater Database Reports



Infrequent Constituent Report

County: Orange

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6156101							
	11 / 30 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	11 / 30 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		90.	
	11 / 30 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		50.	
6156110							
	3 / 5 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		94	
6156115							
	3 / 5 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		44	
	11 / 30 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		780.	
	11 / 30 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6156116							
	3 / 5 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
6156117							
	6 / 10 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		21.5	
	6 / 10 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		2.6	
	6 / 10 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	6 / 10 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.272	
	6 / 10 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	6 / 10 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		51.7	
	6 / 10 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6 / 10 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		144	
	6 / 10 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6 / 10 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.25	
	6 / 10 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	6 / 10 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6156301	6 / 10 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		52	
	6 / 10 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	6 / 10 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.86	
	6 / 10 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	6 / 10 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		5.10	
	6 / 10 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	6 / 10 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		66	
	6 / 10 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6 / 10 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	6 / 10 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	6 / 10 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	6 / 10 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		6.58	
	6 / 10 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6 / 10 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		1.7	1.2
	6 / 10 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L	<	0.1	0.876
	6 / 10 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	6 / 10 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		161	
	6 / 10 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		1.72	
	6 / 10 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.05	
	6 / 10 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	6 / 10 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		13.2	6.76
6156301							
6156313	2 / 15 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
6156402	2 / 15 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		45	
6156403	2 / 15 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
6156403	2 / 15 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		322	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6156405							
	2 / 14 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		2955	
6156406							
	2 / 14 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		68	
	9 / 26 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		120.	
6156506							
	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
6156507							
	2 / 15 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
6156603							
	2 / 15 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		320.	
6156607							
	4 / 4 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
6156614							
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	10 / 2 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		140.	
	10 / 2 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
6156901							
	6 / 28 / 1960	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.32	
	5 / 23 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	6 / 28 / 1960	1	01020	BORON, DISSOLVED (UG/L AS B)	<	10.	
	6 / 28 / 1960	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	11 / 30 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		150.	
	12 / 29 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		80.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6156902	11 / 30 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		20.	
	12 / 29 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		50.	
	6 / 28 / 1960	1	01055	MANGANESE, TOTAL (UG/L AS MN)		20.	
	9 / 17 / 1955	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
	9 / 23 / 1955	1	01045	IRON, TOTAL (UG/L AS FE)		400.	
	9 / 30 / 1955	1	01045	IRON, TOTAL (UG/L AS FE)		1800.	
	10 / 15 / 1955	1	01045	IRON, TOTAL (UG/L AS FE)		120.	
	12 / 28 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		150.	
	9 / 23 / 1955	1	01046	IRON, DISSOLVED (UG/L AS FE)		100.	
	9 / 30 / 1955	1	01046	IRON, DISSOLVED (UG/L AS FE)		200.	
6156910	12 / 28 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		20.	
	3 / 19 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		9	
6156911	3 / 8 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	10 / 23 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	9 / 3 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	10 / 6 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	10 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 / 14 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
6156912	3 / 7 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
6156919	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		37	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6156922	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	5 / 23 / 1967	1	01020	BORON, DISSOLVED (UG/L AS B)		170.	
	5 / 23 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		30.	
	7 / 26 / 1988	1	00010	TEMPERATURE, WATER (CELSIUS)		22.4	
	4 / 16 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		22.1	
	6 / 25 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		22.0	
	6 / 9 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		22.6	
	6 / 13 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-313.8	
	4 / 16 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-45.1	
	6 / 9 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		0.7	
	7 / 26 / 1988	1	00400	PH (STANDARD UNITS), FIELD		8.1	
	6 / 13 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.17	
	4 / 16 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.5	
	6 / 13 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	6 / 13 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.04	
	6 / 13 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.3	
	4 / 16 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.84	
	4 / 16 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	6 / 25 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 9 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	6 / 9 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.326	
	6 / 13 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.31	
	6 / 13 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)		1	
	7 / 26 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	6 / 13 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4 / 16 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		6.7	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 25 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		6.31	
	6 / 9 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		7.57	
	7 / 26 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		50.	
	6 / 13 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		45	
	4 / 16 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		51.2	
	6 / 25 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		49.4	
	6 / 9 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		53.2	
	4 / 16 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 25 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 9 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6 / 13 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		310	
	4 / 16 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		138	
	6 / 25 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		147	
	6 / 9 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		131	
	7 / 26 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	6 / 13 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	6 / 25 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 9 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	7 / 26 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	6 / 13 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	6 / 25 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 9 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.55	
	4 / 16 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 25 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 9 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	7 / 26 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	6 / 13 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	4 / 16 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.2	
	6 / 25 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 9 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	7 / 26 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		69.	
	6 / 13 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		58	
	4 / 16 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		57.7	
	6 / 25 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		68.6	
	6 / 9 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	7 / 26 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	6 / 13 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 16 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 25 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 9 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	7 / 26 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		22.	
	6 / 13 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	20	
	4 / 16 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		22.2	
	6 / 25 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		21.0	
	6 / 9 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		21.9	
	4 / 16 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 25 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 9 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	6 / 13 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	4 / 16 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		4	
	6 / 25 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		3.50	
	6 / 9 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		4.05	
	4 / 16 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 25 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7 / 26 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	6 / 13 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	6 / 9 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	4 / 16 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		56.8	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 25 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	<	20.4	
	6 / 9 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		60	
	6 / 13 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	4 / 16 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.3	
	6 / 25 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 9 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	7 / 26 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	6 / 13 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4 / 16 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2.8	
	6 / 25 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 9 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	4 / 16 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 25 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 9 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	6 / 13 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	4 / 16 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		3.6	
	6 / 25 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 9 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	4 / 16 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		6.3	
	6 / 25 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		8.22	
	6 / 9 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		9.48	
	7 / 26 / 1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	6 / 13 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	4 / 16 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	6 / 25 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 9 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6 / 13 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	6 / 9 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)	<	0.1	1.3
	6 / 13 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6164101	6 / 25 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.1	0.7
	6 / 25 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		1.0	0.9
	6 / 9 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L	<	0.1	0.243
	6 / 9 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	6 / 13 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		186	
	4 / 16 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		186.0	
	6 / 25 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		178.0	
	6 / 9 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		184	
	6 / 9 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		4.77	
	6 / 13 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	4 / 16 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	6 / 13 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.01	
	4 / 16 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.05	
	6 / 25 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.131	
	6 / 9 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.11	
	7 / 26 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.2	
	6 / 13 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	6 / 9 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	6 / 9 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		12.2	5.89
6164105	3 / 5 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		346	
	9 / 1 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		352	
	9 / 3 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		354	
	10 / 6 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		390	
	10 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		370	
	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		380	
	9 / 29 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		340	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		460	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6164201							
	3 / 6 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		159	
6164202							
	3 / 5 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
6164203							
	3 / 5 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
6164204							
	3 / 5 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
6164206							
	3 / 6 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
6164207							
	9 / 1 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		63	
	9 / 3 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		69	
6164208							
	4 / 7 /1992	1	00010	TEMPERATURE, WATER (CELSIUS)		20.5	
	4 / 7 /1992	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		92.4	
	4 / 7 /1992	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.42	
	4 / 7 /1992	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4 / 7 /1992	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.04	
	4 / 7 /1992	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.6	
	4 / 7 /1992	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	4 / 7 /1992	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		128.	
	4 / 7 /1992	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	4 / 7 /1992	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	4 / 7 /1992	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	4 / 7 /1992	1	01046	IRON, DISSOLVED (UG/L AS FE)		6440.	
	4 / 7 /1992	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	4 / 7 /1992	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		343.	
	4 / 7 /1992	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6164302	4 / 7 / 1992	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	4 / 7 / 1992	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	4 / 7 / 1992	1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	4 / 7 / 1992	1	03503	BETA, DISSOLVED (PC/L)		5.2	2.9
	4 / 7 / 1992	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		93	
	4 / 7 / 1992	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.26	
	4 / 7 / 1992	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
6164304	8 / 31 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	
	9 / 3 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		67	
	10 / 10 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	9 / 28 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		68	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
6164305	11 / 30 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		150.	
	8 / 31 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	10 / 6 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	10 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	9 / 14 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	8 / 31 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		19	
	10 / 6 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
	10 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6164306	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
	8 / 31 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	9 / 3 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		19	
	10 / 10 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	10 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		29	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
6164313	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	3 / 4 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
6164507							
6249302	3 / 5 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		479	
	7 / 26 / 1988	1	00010	TEMPERATURE, WATER (CELSIUS)		21.9	
	4 / 16 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		21.6	
	6 / 25 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		21.4	
	8 / 22 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		22.3	
	6 / 9 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		22.4	
	4 / 16 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-40.3	
	6 / 9 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		3.3	
	7 / 26 / 1988	1	00400	PH (STANDARD UNITS), FIELD		7.4	
	4 / 16 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.27	
	4 / 16 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.85	
	4 / 16 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	6 / 25 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	8 / 22 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 9 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	6 / 9 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.261	
	7 / 26 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	4 / 16 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	6 / 25 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	8 / 22 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	6 / 9 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	7 / 26 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		77.	
	4 / 16 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		72.6	
	6 / 25 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		69.1	
	8 / 22 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		80	
	6 / 9 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		70.6	
	4 / 16 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 25 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	8 / 22 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 9 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	4 / 16 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		35.3	
	6 / 25 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	
	8 / 22 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)	<	100	
	6 / 9 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	
	7 / 26 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	6 / 25 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	8 / 22 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 9 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	7 / 26 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	6 / 25 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	8 / 22 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 9 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	4 / 16 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 25 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	8 / 22 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 9 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	7 / 26 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	4 / 16 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	6 / 25 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	8 / 22 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	6 / 9 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	7 / 26 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		610.	
	4 / 16 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		710.3	
	6 / 25 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		572	
	8 / 22 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		731	
	6 / 9 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		647	
	7 / 26 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	4 / 16 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 25 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8 / 22 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 9 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	7 / 26 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		79.	
	4 / 16 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		68.4	
	6 / 25 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		68.1	
	8 / 22 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		73	
	6 / 9 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		68.1	
	4 / 16 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 25 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 22 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 9 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	4 / 16 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 25 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 22 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 9 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	4 / 16 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 25 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7 / 26 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	6 / 9 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	4 / 16 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		72.3	
	6 / 25 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		24.7	
	8 / 22 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		78	
	6 / 9 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		74	
	4 / 16 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.3	
	6 / 25 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	8 / 22 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 9 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	7 / 26 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	4 / 16 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		8.4	
	6 / 25 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	8 / 22 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4	
	6 / 9 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.17	
	4 / 16 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 25 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	8 / 22 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 9 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	4 / 16 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1.5	
	6 / 25 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	8 / 22 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	6 / 9 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	4 / 16 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		5.6	
	6 / 25 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		7.00	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 22 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		10	
	6 / 9 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		8.57	
	7 / 26 / 1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	4 / 16 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	6 / 25 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	8 / 22 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	6 / 9 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6 / 9 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		1.8	0.8
	6 / 25 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.1	0.3
	6 / 25 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.4	0.6
	8 / 22 / 2006	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.00	0.09
	6 / 9 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		4.03	1.11
	6 / 9 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	8 / 22 / 2006	1	28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		10490	60
	4 / 16 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		73.0	
	6 / 25 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		62.0	
	8 / 22 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		71	
	6 / 9 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		70	
	8 / 22 / 2006	1	50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		-4.5	0.2
	8 / 22 / 2006	1	50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-17.4	1
	6 / 9 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		1.69	
	4 / 16 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 16 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.05	
	6 / 25 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0401	
	8 / 22 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
	6 / 9 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.05	
	7 / 26 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	6 / 9 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	6 / 9 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		8.31	7.47

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6249504	8 / 22 / 2006	1	82081	CARBON-13 / CARBON-12 STABLE ISOTOPE RATIO PER MIL		-15.4	
	8 / 22 / 2006	1	82172	CARBON-14 FRACTION MODERN		0.2708	0.002
6249703	3 / 19 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		146	
6249707	3 / 12 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	10 / 23 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		53	
	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		53	
	10 / 10 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	10 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	9 / 29 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	3 / 28 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	3 / 1 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
6249902	2 / 14 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
6249904	4 / 17 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		22.6	
	6 / 25 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		22.5	
	6 / 9 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		22.9	
	4 / 17 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-18.3	
	6 / 9 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		4.2	
	4 / 17 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.13	
	4 / 17 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.18	
	4 / 17 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	6 / 25 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 9 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	6 / 9 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.209	
	10 / 25 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		15	
	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	10 / 10 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		15	
	9 / 28 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	9 / 14 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 / 22 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
	4 / 17 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	6 / 25 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 9 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	4 / 17 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		55.9	
	6 / 25 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		54.1	
	6 / 9 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		56.4	
	4 / 17 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 25 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 9 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	4 / 17 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		47	
	6 / 25 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	
	6 / 9 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	
	6 / 25 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 9 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6 / 25 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 9 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	4 / 17 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 25 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 9 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	4 / 17 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 25 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	6 / 9 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	4 / 17 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		202.9	
	6 / 25 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		206	
	6 / 9 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		235	
	4 / 17 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 25 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 9 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	4 / 17 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		21.7	
	6 / 25 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		20.7	
	6 / 9 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		22.1	
	4 / 17 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 25 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 9 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	4 / 17 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 25 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 9 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	4 / 17 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1	
	6 / 25 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 9 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	4 / 17 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		65.8	
	6 / 25 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		21.3	
	6 / 9 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		72	
	4 / 17 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 25 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 9 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	4 / 17 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		51	
	6 / 25 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		65.1	
	6 / 9 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		48.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6249905	4 / 17 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 25 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 9 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	4 / 17 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		1.9	
	6 / 25 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 9 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	4 / 17 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		9.6	
	6 / 25 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		8.20	
	6 / 9 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		9.39	
	4 / 17 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	6 / 25 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 9 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6 / 9 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		1.7	0.9
	6 / 25 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.1	0.3
	6 / 25 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.2	0.5
	6 / 9 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		2.9	1.54
	6 / 9 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	4 / 17 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		103.0	
	6 / 25 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		108.0	
	6 / 9 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		100	
	6 / 9 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		1.41	
	4 / 17 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 17 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.05	
	6 / 25 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0552	
	6 / 9 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.06	
	6 / 9 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	6 / 9 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		7.79	4.58
	10 / 25 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		9	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6250106	9 / 10 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 28 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
	9 / 24 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
	7 / 26 / 1988	1	00010	TEMPERATURE, WATER (CELSIUS)		23.5	
	7 / 26 / 1988	1	00400	PH (STANDARD UNITS), FIELD		6.75	
	7 / 26 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	7 / 26 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		191.	
	7 / 26 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	7 / 26 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	7 / 26 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	7 / 26 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		7790.	
	7 / 26 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	7 / 26 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		392.	
	7 / 26 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	7 / 26 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		70.	
	7 / 26 / 1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	7 / 26 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
6250107	7 / 14 / 2005	1	00010	TEMPERATURE, WATER (CELSIUS)		24.3	
	7 / 14 / 2005	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 14 / 2005	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	7 / 14 / 2005	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		85.1	
	7 / 14 / 2005	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	7 / 14 / 2005	1	01020	BORON, DISSOLVED (UG/L AS B)		222	
	7 / 14 / 2005	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	7 / 14 / 2005	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.51	
	7 / 14 / 2005	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	7 / 14 / 2005	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6250201	7 / 14 / 2005	1	01046	IRON, DISSOLVED (UG/L AS FE)		853	
	7 / 14 / 2005	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	7 / 14 / 2005	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		56.3	
	7 / 14 / 2005	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	7 / 14 / 2005	1	01060	MOLYBDENUM, DISSOLVED, UG/L		3.79	
	7 / 14 / 2005	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		74.6	
	7 / 14 / 2005	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	7 / 14 / 2005	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	7 / 14 / 2005	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	7 / 14 / 2005	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	7 / 14 / 2005	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		11.1	
	7 / 14 / 2005	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	7 / 14 / 2005	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.8	1.2
	7 / 14 / 2005	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.0	0.7
	7 / 14 / 2005	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.28	0
	7 / 14 / 2005	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		138	
	7 / 14 / 2005	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.111	
6250204	7 / 1 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	7 / 1 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		5900.	
	7 / 1 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		120.	
6250401	2 / 12 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	2 / 0 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	2 / 0 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		7900.	
6250406	2 / 6 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		660.	
	2 / 6 / 1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		90.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6250407	2 / 8 /1963	1	01045	IRON, TOTAL (UG/L AS FE)		130.	
	2 / 8 /1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		120.	
	9 /17 /1941	1	01045	IRON, TOTAL (UG/L AS FE)		1000.	
6250502							
6250503	3 /21 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
	2 /12 /1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		44	
6250610							
	4 / 7 /1992	1	00010	TEMPERATURE, WATER (CELSIUS)		21.3	
	4 / 7 /1992	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-69.5	
	4 / 7 /1992	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.20	
	4 / 7 /1992	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4 / 7 /1992	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.05	
	4 / 7 /1992	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	4 / 7 /1992	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	4 / 7 /1992	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		93.	
	4 / 7 /1992	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	4 / 7 /1992	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	4 / 7 /1992	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	4 / 7 /1992	1	01046	IRON, DISSOLVED (UG/L AS FE)		1730.	
	4 / 7 /1992	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	4 / 7 /1992	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		129.	
	4 / 7 /1992	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	4 / 7 /1992	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	4 / 7 /1992	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	4 / 7 /1992	1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	4 / 7 /1992	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	4 / 7 /1992	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		110	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6250701	4 / 7 /1992	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.10	
	4 / 7 /1992	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
6250705	2 /14 /1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
6250707	9 /17 /1941	1	01045	IRON, TOTAL (UG/L AS FE)		1100.	
6250708	7 /20 /1967	1	01020	BORON, DISSOLVED (UG/L AS B)		40.	
	7 /20 /1967	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6250801	9 /10 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	7 /20 /1967	1	01020	BORON, DISSOLVED (UG/L AS B)		40.	
	7 /20 /1967	1	01045	IRON, TOTAL (UG/L AS FE)		70.	
6250804	2 / 7 /1963	1	01045	IRON, TOTAL (UG/L AS FE)		640.	
	2 / 7 /1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		440.	
6250904	10 /23 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	9 / 4 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	10 /10 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	10 / 1 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	9 /22 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	9 /22 /1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		15	
	9 /26 /1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	12 /16 /1941	1	01045	IRON, TOTAL (UG/L AS FE)		280.	
6250910	9 /22 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6250911	9 / 29 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	10 / 2 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	4 / 18 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		24.1	
	6 / 26 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		23.9	
	7 / 14 / 2005	1	00010	TEMPERATURE, WATER (CELSIUS)		24.0	
	6 / 9 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		24.8	
	4 / 18 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-30.1	
	6 / 9 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		0.5	
	4 / 18 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.11	
	4 / 18 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.3	
	4 / 18 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.724	
	6 / 26 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 14 / 2005	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 9 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	6 / 9 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.251	
	4 / 18 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	6 / 26 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 14 / 2005	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	6 / 9 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	4 / 18 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		362	
	6 / 26 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		351	
	7 / 14 / 2005	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		362	
	6 / 9 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		358	
	4 / 18 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 26 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 14 / 2005	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6 / 9 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	4 / 18 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		205	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 26 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		190	
	7 / 14 / 2005	1	01020	BORON, DISSOLVED (UG/L AS B)		299	
	6 / 9 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		231	
	6 / 26 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 14 / 2005	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6 / 9 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6 / 26 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	7 / 14 / 2005	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.89	
	6 / 9 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.54	
	4 / 18 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 26 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 14 / 2005	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	6 / 9 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	4 / 18 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.8	
	6 / 26 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.12	
	7 / 14 / 2005	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	6 / 9 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.58	
	4 / 18 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		1313	
	6 / 26 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		1210	
	7 / 14 / 2005	1	01046	IRON, DISSOLVED (UG/L AS FE)		1180	
	6 / 9 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		1190	
	4 / 18 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 26 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 14 / 2005	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	6 / 9 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	4 / 18 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		140	
	6 / 26 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		142	
	7 / 14 / 2005	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		133	
	6 / 9 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		133	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 18 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 26 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 14 / 2005	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	6 / 9 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	4 / 18 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		4.9	
	6 / 26 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		4.71	
	7 / 14 / 2005	1	01060	MOLYBDENUM, DISSOLVED, UG/L		5.26	
	6 / 9 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		5.44	
	4 / 18 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.2	
	6 / 26 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 9 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	4 / 18 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		324	
	6 / 26 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		277	
	7 / 14 / 2005	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		321	
	6 / 9 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		350	
	4 / 18 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		4.4	
	6 / 26 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 14 / 2005	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6 / 9 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	4 / 18 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		9	
	6 / 26 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	7 / 14 / 2005	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	6 / 9 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.50	
	4 / 18 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 26 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 14 / 2005	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	6 / 9 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	4 / 18 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		1.6	
	6 / 26 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 14 / 2005	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	6 / 9 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	4 / 18 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		22.7	
	6 / 26 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		19.5	
	7 / 14 / 2005	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		18.5	
	6 / 9 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		21.8	
	4 / 18 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	6 / 26 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 14 / 2005	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6 / 9 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6 / 9 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		3.2	2.8
	6 / 26 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		1.4	1.5
	7 / 14 / 2005	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		1.4	2.4
	6 / 26 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		3.5	2
	7 / 14 / 2005	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		5.5	2.2
	7 / 14 / 2005	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.02	0
	6 / 9 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L	<	0.1	0.256
	6 / 9 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	4 / 18 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		176.0	
	6 / 26 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		172.0	
	7 / 14 / 2005	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		176	
	6 / 9 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		179	
	6 / 9 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		2.43	
	4 / 18 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 18 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	6 / 26 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.313	
	7 / 14 / 2005	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.300	
	6 / 9 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.37	
	6 / 9 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6250912	6 / 9 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		8.78	5.15
	4 / 17 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		23.8	
	4 / 17 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-124.8	
	4 / 17 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.1	
	4 / 17 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.75	
	4 / 17 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	4 / 17 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	4 / 17 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		166	
	4 / 17 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 17 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		92.2	
	4 / 17 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 17 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	4 / 17 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		1401	
	4 / 17 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 17 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		83.7	
	4 / 17 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 17 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.4	
	4 / 17 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 17 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		155	
	4 / 17 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.5	
	4 / 17 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		13.8	
	4 / 17 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 17 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		1.1	
	4 / 17 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		12.1	
	4 / 17 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	4 / 17 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		110.0	
	4 / 17 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 17 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.05	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6251101							
	1 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		140.	
	1 / 18 / 1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		20.	
6251102							
	1 / 21 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	1 / 21 / 1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		80.	
6251401							
	1 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		30.	
	1 / 18 / 1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6251407							
	4 / 7 / 1992	1	00010	TEMPERATURE, WATER (CELSIUS)		20.5	
	4 / 7 / 1992	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-53.1	
	4 / 7 / 1992	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.17	
	4 / 7 / 1992	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	4 / 7 / 1992	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.04	
	4 / 7 / 1992	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.3	
	4 / 7 / 1992	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	4 / 7 / 1992	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		135.	
	4 / 7 / 1992	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	4 / 7 / 1992	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	4 / 7 / 1992	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	4 / 7 / 1992	1	01046	IRON, DISSOLVED (UG/L AS FE)		216.	
	4 / 7 / 1992	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	4 / 7 / 1992	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		126.	
	4 / 7 / 1992	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	4 / 7 / 1992	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	4 / 7 / 1992	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	4 / 7 / 1992	1	01503	ALPHA, DISSOLVED (PC/L)	<	4.0	
	4 / 7 / 1992	1	03503	BETA, DISSOLVED (PC/L)		4.3	1.9

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6251704	4 / 7 / 1992	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		126	
	4 / 7 / 1992	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.15	
	4 / 7 / 1992	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
6251706	9 / 20 / 1941	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
	9 / 10 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		43	
6251707	10 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	9 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		37	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		37	
6251714	10 / 2 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	5 / 9 / 1967	1	01020	BORON, DISSOLVED (UG/L AS B)		120.	
	5 / 9 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
6251714	10 / 31 / 1962	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.73	
	10 / 2 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		80.	
	10 / 31 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		540.	
6257101	10 / 2 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		610.	
	10 / 31 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		350.	
	10 / 31 / 1962	1	01055	MANGANESE, TOTAL (UG/L AS MN)		200.	
6257202	10 / 24 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	3 / 4 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	2 / 17 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		84	
6257203	10 / 24 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6257401	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		15	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	
	9 / 22 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	
	9 / 17 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		340.	
	6 / 26 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		25.0	
	6 / 26 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	8 / 31 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	10 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
	9 / 14 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		9	
	9 / 28 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		9	
	6 / 26 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 26 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		42.1	
	6 / 26 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 26 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		85.6	
	6 / 26 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 26 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 26 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 26 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	6 / 26 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		174	
	6 / 26 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 26 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		16.3	
	6 / 26 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6257403	6 / 26 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.02	
	6 / 26 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 26 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	<	20.4	
	6 / 26 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 26 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 26 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 26 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 26 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		7.16	
	6 / 26 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 26 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.7	0.8
	6 / 26 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		1.7	0.9
	6 / 26 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		152.0	
	6 / 26 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.207	
	6 / 26 / 2001	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		2.0	
	7 / 27 / 1988	1	00010	TEMPERATURE, WATER (CELSIUS)		24.4	
	7 / 27 / 1988	1	00400	PH (STANDARD UNITS), FIELD		7.8	
	10 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		43	
	3 / 19 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		51	
	7 / 27 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	7 / 27 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		377.	
	7 / 27 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	7 / 27 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	7 / 27 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	7 / 27 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		423.	
	7 / 27 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	7 / 27 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		121.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6257404	7 / 27 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	7 / 27 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	7 / 27 / 1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	7 / 27 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
6257406	2 / 28 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	10 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	9 / 22 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		180	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		200	
6257407	10 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
6257408	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	2 / 28 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
6257409	3 / 19 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
	9 / 22 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		15	
	5 / 25 / 1960	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
6257410	11 / 30 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	6 / 10 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		23.4	
6257416	6 / 10 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		0.9	
	6 / 10 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 10 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.519	
	6 / 10 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	6 / 10 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		24.8	
	6 / 10 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6 / 10 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		129	
	6 / 10 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6 / 10 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	6 / 10 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	6 / 10 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.18	
	6 / 10 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	6 / 10 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	6 / 10 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		12.3	
	6 / 10 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	6 / 10 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.79	
	6 / 10 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	6 / 10 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		26	
	6 / 10 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6 / 10 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	6 / 10 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	6 / 10 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	6 / 10 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		6.60	
	6 / 10 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6 / 10 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		3	1.5
	6 / 10 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		4.09	1.56
	6 / 10 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	6 / 10 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		157	
	6 / 10 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		2.38	
	6 / 10 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.09	
	6 / 10 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6257501	6 / 10 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	0.1	0.916
	9 / 1 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
	9 / 9 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		7	
	9 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
	10 / 17 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
6257502	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	10 / 25 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	10 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 22 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		9	
6257506	9 / 1 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
6257605	10 / 23 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		9	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
	9 / 14 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
	9 / 22 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6257802	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
6257901	12 / 16 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		6900.	
6257903	2 / 20 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		116	
	8 / 17 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		148	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		146	
	9 / 28 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
6257904	2 / 25 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
	8 / 17 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		19	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	9 / 28 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
	10 / 1 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
6257905	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	9 / 28 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	10 / 1 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
6257907	4 / 17 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		25.6	
	6 / 26 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		25.1	
	8 / 21 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		26.3	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 17 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-227.3	
	4 / 17 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.12	
	4 / 17 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.22	
	4 / 17 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	6 / 26 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	8 / 21 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	4 / 17 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	6 / 26 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	8 / 21 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	4 / 17 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		98.4	
	6 / 26 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		88.6	
	8 / 21 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		95	
	4 / 17 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 26 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	8 / 21 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 17 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		127	
	6 / 26 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		71.4	
	8 / 21 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		151	
	6 / 26 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	8 / 21 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 26 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	8 / 21 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 17 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 26 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	8 / 21 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 17 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.2	
	6 / 26 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.16	
	8 / 21 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	2 / 1 / 2007	1	01040	COPPER, DISSOLVED (UG/L AS CU)		0.0	
	4 / 17 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		120.5	
	6 / 26 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		125	
	8 / 21 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		167	
	2 / 1 / 2007	1	01046	IRON, DISSOLVED (UG/L AS FE)		0.0	
	4 / 17 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 26 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8 / 21 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 17 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		35.2	
	6 / 26 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		31.5	
	8 / 21 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		35	
	2 / 1 / 2007	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		0.0	
	4 / 17 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 26 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 21 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 17 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.7	
	6 / 26 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.16	
	8 / 21 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2	
	4 / 17 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.3	
	6 / 26 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 17 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		90.5	
	6 / 26 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		41.2	
	8 / 21 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		92	
	4 / 17 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.3	
	6 / 26 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	8 / 21 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 17 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	1	
	6 / 26 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	8 / 21 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 17 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 26 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	8 / 21 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 17 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		3.6	
	6 / 26 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	8 / 21 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2	
	4 / 17 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		12.5	
	6 / 26 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		11.0	
	8 / 21 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		14	
	4 / 17 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	6 / 26 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	8 / 21 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	6 / 26 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.0	0.7
	6 / 26 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		7.0	1.9
	8 / 21 / 2006	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		-0.07	0.09
	8 / 21 / 2006	1	28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		16610	50
	4 / 17 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		103.0	
	6 / 26 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		144.0	
	8 / 21 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		162	
	8 / 21 / 2006	1	50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		-4.9	0.2
	8 / 21 / 2006	1	50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-22.0	1
	4 / 17 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 17 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	6 / 26 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.455	
	8 / 21 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
	8 / 21 / 2006	1	82081	CARBON-13 / CARBON-12 STABLE ISOTOPE RATIO PER MIL		-13.8	
	8 / 21 / 2006	1	82172	CARBON-14 FRACTION MODERN		0.1264	0.0008
6257908							
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6257909							
	6 / 10 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		23.8	
	6 / 10 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		1.8	
	6 / 10 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	6 / 10 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.543	
	6 / 10 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3.53	
	6 / 10 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		45.3	
	6 / 10 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	6 / 10 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		133	
	6 / 10 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6 / 10 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.58	
	6 / 10 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	6 / 10 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	6 / 10 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		51	
	6 / 10 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	6 / 10 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		30.7	
	6 / 10 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	6 / 10 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		3.06	
	6 / 10 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	6 / 10 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		53	
	6 / 10 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	6 / 10 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	6 / 10 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	6 / 10 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	6 / 10 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		10.8	
	6 / 10 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	6 / 10 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		2.4	1.5
	6 / 10 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		5.12	2.2
	6 / 10 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258102	6 / 10 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		186	
	6 / 10 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		1.39	
	6 / 10 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.10	
	6 / 10 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	6 / 10 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	0.1	0.692
6258106	2 / 14 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		51	
6258107	2 / 14 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		198	
6258202	2 / 14 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
6258203	3 / 15 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	9 / 4 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
6258303	2 / 14 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
6258304	5 / 20 / 1940	1	01045	IRON, TOTAL (UG/L AS FE)		2400.	
	12 / 16 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		690.	
6258304	6 / 26 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		24.3	
	6 / 26 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 13 / 1960	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.26	
	8 / 18 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	
	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	
	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	
	10 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	
	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	
	6 / 26 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 26 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		213	
	6 / 26 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 26 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		108	
	6 / 26 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 26 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 26 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 26 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2	
	7 / 13 / 1960	1	01045	IRON, TOTAL (UG/L AS FE)		70.	
	4 / 2 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		1200.	
	7 / 13 / 1960	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
	6 / 26 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		766	
	6 / 26 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 13 / 1960	1	01055	MANGANESE, TOTAL (UG/L AS MN)		20.	
	6 / 26 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		117	
	6 / 26 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 26 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 26 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 26 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		169	
	6 / 26 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 26 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 26 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 26 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 26 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		16.6	
	6 / 26 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 26 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.5	1.2
	6 / 26 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.2	1.9
	6 / 26 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		176.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258305	6 / 26 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.282	
	5 / 21 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 22 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		84	
	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		60	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		69	
	9 / 19 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		75	
	9 / 24 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 22 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		600.	
6258308	5 / 22 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
6258309	5 / 22 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		116	
6258310	5 / 22 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	
6258313	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
6258316	6 / 26 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
6258319	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
6258322	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
6258324	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		42	
	10 / 6 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	9 / 28 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258325	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	9 / 1 / 1967	1	01020	BORON, DISSOLVED (UG/L AS B)		70.	
	9 / 1 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		350.	
	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	10 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		51	
	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	8 / 28 / 1967	1	00933	SODIUM PLUS POTASSIUM (MG/L)		133	
	9 / 11 / 1968	1	01020	BORON, DISSOLVED (UG/L AS B)		140.	
	8 / 28 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		820	
6258402	9 / 11 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)		550.	
	8 / 28 / 1967	1	01055	MANGANESE, TOTAL (UG/L AS MN)		130	
	10 / 23 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
	10 / 7 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
	9 / 14 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	
	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		7	
	2 / 7 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		110.	
	2 / 7 / 1963	1	01046	IRON, DISSOLVED (UG/L AS FE)		80.	
	3 / 18 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		11	
	7 / 27 / 1988	1	00010	TEMPERATURE, WATER (CELSIUS)		24.1	
6258407	6 / 14 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-154.8	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 27 / 1988	1	00400	PH (STANDARD UNITS), FIELD		8.04	
	6 / 14 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.12	
	6 / 14 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	6 / 14 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	6 / 14 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	6 / 14 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.27	
	3 / 18 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
	7 / 27 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	6 / 14 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	7 / 27 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		118.	
	6 / 14 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		48	
	6 / 14 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		220	
	7 / 27 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	6 / 14 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 27 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	6 / 14 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	7 / 27 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	6 / 14 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	7 / 27 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		184.	
	6 / 14 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		146	
	7 / 27 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	6 / 14 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	7 / 27 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		42.	
	6 / 14 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		36	
	6 / 14 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	7 / 27 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	6 / 14 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	6 / 14 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	7 / 27 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		54.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 14 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	6 / 14 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	7 / 27 / 1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	6 / 14 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	6 / 14 / 1990	1	34200	ACENAPHTHYLENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34205	ACENAPHTHENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34220	ANTHRACENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34230	BENZO(B)FLUORANTHENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34242	BENZO(K)FLUORANTHENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34247	BENZO-(A)-PYRENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34253	A-BHC-ALPHA, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	34255	B-BHC-BETA, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	34273	BIS (2-CHLOROETHYL) ETHER, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34278	BIS (2-CHLOROETHOXY) METHANE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34283	BIS (2-CHLOROISOPROPYL) ETHER, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34320	CHRYSENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34336	DIETHYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34341	DIMETHYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34346	1,2-DIPHENYLHYDRAZINE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34351	ENDOSULFAN SULFATE, TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	34356	ENDOSULFAN - BETA, TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	34361	ENDOSULFAN - ALPHA, TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	34366	ENDRIN ALDEHYDE, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	34376	FLUORANTHENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34381	FLUORENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34386	HEXACHLOROCYCLOPENTADIENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34396	HEXACHLOROETHANE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34403	INDENO (1,2,3-CD) PYRENE	<	5.	
	6 / 14 / 1990	1	34408	ISOPHORONE, TOTAL, UG/L	<	5.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 14 / 1990	1	34428	N-NITROSO-DI-N-PROPYLAMINE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34433	N-NITROSODIPHENYLAMINE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34438	N-NITROSODIMETHLAMINE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34447	NITROBENZENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34461	PHENANTHRENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34469	PYRENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34521	BENZO(GH)PERYLENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34527	BENZO(A) ANTHRACENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34536	1,2-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34551	1,2,4-TRICHLOROBENZENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34566	1,3-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34571	1,4-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34581	2-CHLORONAPHTHALENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34591	2-NITROPHENOL, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	34596	DI-N-OCTYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34601	2,4-DICHLOROPHENOL, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	34606	2,4-DIMETHYLPHENOL, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	34611	2,4-DINITROTOLUENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34616	2,4-DINITROPHENOL, TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	34621	2,4,6-TRICHLOROPHENOL, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	34626	2,6-DINITROTOLUENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34631	3,3'-DICHLOROBENZIDINE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34636	4-BROMOPHENYL PHENYL ETHER, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34641	4-CHLOROPHENYL PHENYL ETHER, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	34646	4-NITROPHENOL, TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	34694	PHENOL, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	34696	NAPHTHALENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	39032	PENTACHLOROPHENOL (PCP), TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		98	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258408	6 / 14 / 1990	1	39100	BIS(2-ETHYLHEXYL) PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	39110	DI-N-BUTYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	39120	BENZIDINE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	39330	ALDRIN, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	39340	GAMMA-BHC (LINDANE), TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	39380	DIELDRIN, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	39390	ENDRIN, TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	39410	HEPTACHLOR, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	39420	HEPTACHLOR EPOXIDE, TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	39700	HEXACHLOROBENZENE (HCB), TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	39702	HEXACHLOROBUTADIENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	46323	DELTA-BHC, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	51002	2,6-DINITRO-2-CRESOL, TOTAL, UG/L	<	21.	
	6 / 14 / 1990	1	51003	BUTYLBENZYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	51004	DIBENZO (A,H) ANTHRACENE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	51005	4,4'-DDE, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	51006	4,4'-DDD, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	51007	4,4'-DDT, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	6 / 14 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.01	
	7 / 27 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.2	
	6 / 14 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	6 / 14 / 1990	1	77421	4-CHLORO-3-CRESOL, TOTAL, UG/L	<	11.	
	6 / 14 / 1990	1	77579	DIPHENYLAMINE, TOTAL, UG/L	<	5.	
	6 / 14 / 1990	1	77966	CHLOROPHENOL, TOTAL, UG/L	<	11.	
6258409	2 / 17 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	2 / 17 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258412	3 / 15 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	9 / 1 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	10 / 6 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	9 / 22 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
6258413	2 / 17 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	2 / 17 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
6258415	2 / 17 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	2 / 17 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
6258421	3 / 28 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	3 / 28 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
6258505	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		69	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		60	
	9 / 28 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258510	3 / 1 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	2 / 14 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	2 / 19 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		44	
	2 / 19 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
6258520	3 / 24 / 1995	1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.	
	3 / 24 / 1995	1	01007	BARIUM, TOTAL (UG/L AS BA)		54.	
	3 / 24 / 1995	1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.	
	3 / 24 / 1995	1	01027	CADMIUM, TOTAL (UG/L)	<	0.2	
	3 / 24 / 1995	1	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	8.	
	3 / 24 / 1995	1	01042	COPPER, TOTAL (UG/L AS CU)	<	6.	
	3 / 24 / 1995	1	01045	IRON, TOTAL (UG/L AS FE)		130.	
	3 / 24 / 1995	1	01055	MANGANESE, TOTAL (UG/L AS MN)		24.	
	3 / 24 / 1995	1	01067	NICKEL, TOTAL (UG/L AS NI)	<	20.	
	3 / 24 / 1995	1	01077	SILVER, TOTAL (UG/L AS AG)	<	6.	
	3 / 24 / 1995	1	01092	ZINC, TOTAL (UG/L AS ZN)		10.7	
	3 / 24 / 1995	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.	
	3 / 24 / 1995	1	01097	ANTIMONY, TOTAL (UG/L AS SB)	<	2.	
	3 / 24 / 1995	1	01105	ALUMINUM, TOTAL (UG/L AS AL)		40.	
	3 / 24 / 1995	1	01147	SELENIUM, TOTAL (UG/L)	<	8.	
	3 / 24 / 1995	1	01501	ALPHA, TOTAL (PC/L)	<	2.	
	3 / 24 / 1995	1	03503	BETA, DISSOLVED (PC/L)	<	4.	
	3 / 24 / 1995	1	71900	MERCURY, TOTAL (UG/L AS HG)	<	0.13	
6258601							
6258602	3 / 1 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		44	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258603	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	4 / 2 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	4 / 4 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		356	
	9 / 12 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	9 / 28 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		53	
	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
6258604	2 / 19 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	12 / 16 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6258605	4 / 4 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	10 / 26 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		129	
6258606	10 / 26 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	9 / 6 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		43	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		126	
	10 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		160	
	3 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		160	
	9 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		170	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		180	
6258606	4 / 0 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
	9 / 6 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	10 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	3 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	9 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258608							
	7 / 27 / 1988	1	00010	TEMPERATURE, WATER (CELSIUS)		26.1	
	6 / 13 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-142.6	
	7 / 27 / 1988	1	00400	PH (STANDARD UNITS), FIELD		7.81	
	6 / 13 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.24	
	6 / 13 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	6 / 13 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.01	
	6 / 13 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.4	
	6 / 13 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.51	
	9 / 12 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	9 / 29 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		43	
	3 / 18 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	9 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		37	
	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
	9 / 16 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	7 / 27 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	6 / 13 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	7 / 27 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		425.	
	6 / 13 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		550	
	6 / 13 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		330	
	7 / 27 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	6 / 13 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 27 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	6 / 13 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	7 / 27 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	6 / 13 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	7 / 27 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		1480.	
	6 / 13 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		1320	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258609	7 / 27 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	6 / 13 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	7 / 27 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		300.	
	6 / 13 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		338	
	6 / 13 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	7 / 27 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	6 / 13 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	6 / 13 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	7 / 27 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	6 / 13 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	6 / 13 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	7 / 27 / 1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	6 / 13 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	6 / 13 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		168	
	6 / 13 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	6 / 13 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.4	
	7 / 27 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	6 / 13 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.4	
	10 / 7 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	9 / 29 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	3 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		44	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	3 / 3 / 1997	1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.	
	3 / 3 / 1997	1	01007	BARIUM, TOTAL (UG/L AS BA)		289.	
	3 / 3 / 1997	1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.	
	3 / 3 / 1997	1	01027	CADMIUM, TOTAL (UG/L)	<	0.2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258611	3 / 3 / 1997	1	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	10.	
	3 / 3 / 1997	1	01042	COPPER, TOTAL (UG/L AS CU)	<	6.	
	3 / 3 / 1997	1	01045	IRON, TOTAL (UG/L AS FE)		2070.	
	3 / 3 / 1997	1	01051	LEAD, TOTAL (UG/L AS PB)		1.4	
	3 / 3 / 1997	1	01055	MANGANESE, TOTAL (UG/L AS MN)		189.	
	3 / 3 / 1997	1	01059	THALLIUM, TOTAL (UG/L AS TL)	<	1.	
	3 / 3 / 1997	1	01067	NICKEL, TOTAL (UG/L AS NI)	<	20.	
	3 / 3 / 1997	1	01077	SILVER, TOTAL (UG/L AS AG)	<	10.	
	3 / 3 / 1997	1	01092	ZINC, TOTAL (UG/L AS ZN)		40.	
	3 / 3 / 1997	1	01097	ANTIMONY, TOTAL (UG/L AS SB)	<	2.	
	3 / 3 / 1997	1	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	40.	
	3 / 3 / 1997	1	01147	SELENIUM, TOTAL (UG/L)		2.2	
	3 / 3 / 1997	1	71900	MERCURY, TOTAL (UG/L AS HG)	<	0.27	
6258612	6 / 0 / 1945	1	01045	IRON, TOTAL (UG/L AS FE)		500.	
6258614	10 / 5 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
	11 / 7 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	
	9 / 29 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
6258614	11 / 5 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	9 / 29 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	3 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		43	
	9 / 20 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		63	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258615	3 / 3 /1997	1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.	
	3 / 3 /1997	1	01007	BARIUM, TOTAL (UG/L AS BA)		511.	
	3 / 3 /1997	1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.	
	3 / 3 /1997	1	01027	CADMIUM, TOTAL (UG/L)	<	0.2	
	3 / 3 /1997	1	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	10.	
	3 / 3 /1997	1	01042	COPPER, TOTAL (UG/L AS CU)	<	6.	
	3 / 3 /1997	1	01045	IRON, TOTAL (UG/L AS FE)		1740.	
	3 / 3 /1997	1	01051	LEAD, TOTAL (UG/L AS PB)	<	1.	
	3 / 3 /1997	1	01055	MANGANESE, TOTAL (UG/L AS MN)		237.	
	3 / 3 /1997	1	01059	THALLIUM, TOTAL (UG/L AS TL)	<	1.	
	3 / 3 /1997	1	01067	NICKEL, TOTAL (UG/L AS NI)	<	20.	
	3 / 3 /1997	1	01077	SILVER, TOTAL (UG/L AS AG)	<	10.	
	3 / 3 /1997	1	01092	ZINC, TOTAL (UG/L AS ZN)		30.	
	3 / 3 /1997	1	01097	ANTIMONY, TOTAL (UG/L AS SB)	<	2.	
	3 / 3 /1997	1	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	40.	
	3 / 3 /1997	1	01147	SELENIUM, TOTAL (UG/L)		3.	
	3 / 3 /1997	1	71900	MERCURY, TOTAL (UG/L AS HG)	<	0.27	
6258616	9 / 6 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		109	
	10 / 7 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		134	
	10 / 1 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		45	
	3 / 17 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		180	
	9 / 17 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	9 / 22 /1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
6258617	4 / 4 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	10 / 26 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		61	
	9 / 6 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		80	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258623	10 / 5 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	9 /11 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	10 / 7 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	9 /29 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	9 / 1 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		19	
	9 /11 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	10 / 8 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 /28 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
6258624	9 /16 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 /21 /1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	9 /25 /1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	2 /19 /1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
6258629	9 / 6 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		29	
	10 / 7 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	10 / 1 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	3 /17 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	9 /17 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	9 /22 /1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	10 / 1 /1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		42	
6258630	2 /19 /1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	10 /27 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
6258632	9 / 6 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	10 / 8 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	9 /29 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258633	9 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	9 / 6 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		19	
	9 / 29 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
	3 / 18 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	9 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		53	
6258634	10 / 27 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 / 6 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	9 / 29 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	3 / 18 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	9 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
6258635	8 / 29 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	9 / 6 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
	9 / 29 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		13	
	10 / 1 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
6258637	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258639	10 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	3 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	9 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		53	
	10 / 1 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	9 / 6 / 1968	1	01020	BORON, DISSOLVED (UG/L AS B)		100.	
	9 / 6 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
	9 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		42	
6258640	10 / 7 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		90.	
	10 / 7 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		380.	
	9 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
6258642	3 / 18 / 1971	1	01020	BORON, DISSOLVED (UG/L AS B)		120.	
	3 / 18 / 1971	1	01045	IRON, TOTAL (UG/L AS FE)		340.	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		19	
	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
6258701	10 / 25 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		19	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	9 / 21 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258702	9 / 28 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		17	
	9 / 27 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	7 / 27 / 1988	1	00010	TEMPERATURE, WATER (CELSIUS)		25.4	
	6 / 12 / 1990	1	00010	TEMPERATURE, WATER (CELSIUS)		25.4	
	6 / 12 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-254.7	
	7 / 27 / 1988	1	00400	PH (STANDARD UNITS), FIELD		8.13	
	6 / 12 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.15	
	6 / 12 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	6 / 12 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	6 / 12 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.3	
	7 / 13 / 1960	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.84	
	6 / 12 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.41	
	6 / 12 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)		1	
	8 / 18 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	9 / 12 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
	9 / 22 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	7 / 27 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	6 / 12 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	7 / 27 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		16.	
	6 / 12 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		85	
	6 / 12 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		410	
	7 / 27 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	6 / 12 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 27 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258703	6 / 12 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	7 / 27 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	6 / 12 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	7 / 13 / 1960	1	01045	IRON, TOTAL (UG/L AS FE)		80.	
	7 / 13 / 1960	1	01046	IRON, DISSOLVED (UG/L AS FE)		40.	
	7 / 27 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		144.	
	6 / 12 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		82	
	7 / 27 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	6 / 12 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	7 / 13 / 1960	1	01055	MANGANESE, TOTAL (UG/L AS MN)		20.	
	7 / 27 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		71.	
	6 / 12 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		39	
	6 / 12 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	7 / 27 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	6 / 12 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	6 / 12 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	7 / 27 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	6 / 12 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	6 / 12 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	7 / 27 / 1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	6 / 12 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		2	
	6 / 12 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		200	
	6 / 12 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	6 / 12 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.1	
	7 / 27 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)		0.2	
	6 / 12 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	2 / 18 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		87	
	9 / 17 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		0.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258704	2 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		5600.	
6258705	7 / 1 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
6258707	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
6258708	3 / 1 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
6258802	8 / 17 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
6258802	9 / 22 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
6258803	4 / 4 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		356	
6258806	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		338	
6258809	3 / 1 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		122	
	4 / 17 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		25.0	
	6 / 26 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		24.8	
	4 / 17 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-73.2	
	4 / 17 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.13	
	4 / 17 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		2.28	
	4 / 17 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	6 / 26 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	9 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	9 / 23 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	9 / 22 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	9 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	4 / 17 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	6 / 26 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 17 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		108	
	6 / 26 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		107	
	4 / 17 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 26 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 23 / 1967	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	4 / 17 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		148	
	6 / 26 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		109	
	6 / 26 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 26 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 17 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 26 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 17 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.7	
	6 / 26 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.21	
	5 / 23 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	4 / 17 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		120.8	
	6 / 26 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		92.6	
	4 / 17 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 26 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 17 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		41.7	
	6 / 26 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		42.9	
	4 / 17 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 26 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 17 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.8	
	6 / 26 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.21	
	4 / 17 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258901	6 / 26 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 17 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		111	
	6 / 26 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		70.4	
	4 / 17 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.7	
	6 / 26 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 17 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2.1	
	6 / 26 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4 / 17 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 26 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 17 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2.4	
	6 / 26 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 17 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		12.5	
	6 / 26 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		14.2	
	4 / 17 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	6 / 26 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 26 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.0	0.7
	6 / 26 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		4.0	2.7
	4 / 17 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		202.0	
	6 / 26 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		174.0	
	4 / 17 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 17 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	6 / 26 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.607	
6258901							
6258903	4 / 2 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6258904	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	9 / 18 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		150.	
	2 / 18 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6258906							
	9 / 18 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		10.	
6259101							
	7 / 26 / 1988	1	00010	TEMPERATURE, WATER (CELSIUS)		24.4	
	4 / 18 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		24.1	
	6 / 12 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-145.4	
	4 / 18 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-62.7	
	7 / 26 / 1988	1	00400	PH (STANDARD UNITS), FIELD		7.71	
	6 / 12 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.1	
	4 / 18 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.16	
	6 / 12 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	6 / 12 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.03	
	6 / 12 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	4 / 18 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.81	
	4 / 18 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	6 / 12 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.25	
	9 / 1 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	10 / 7 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	9 / 15 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	9 / 19 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		51	
	9 / 24 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		49	
	7 / 26 / 1988	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	6 / 12 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4 / 18 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	7 / 26 / 1988	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		286.	
	6 / 12 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		254	
	4 / 18 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		262	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 18 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 12 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		400	
	4 / 18 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		149	
	7 / 26 / 1988	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	6 / 12 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 26 / 1988	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	6 / 12 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	4 / 18 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 26 / 1988	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	6 / 12 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	4 / 18 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.7	
	6 / 5 / 1958	1	01045	IRON, TOTAL (UG/L AS FE)		700.	
	7 / 26 / 1988	1	01046	IRON, DISSOLVED (UG/L AS FE)		900.	
	6 / 12 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		808	
	4 / 18 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		674.2	
	7 / 26 / 1988	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	6 / 12 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 18 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 26 / 1988	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		137.	
	6 / 12 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		124	
	4 / 18 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		118	
	4 / 18 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 12 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	4 / 18 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.4	
	4 / 18 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.2	
	7 / 26 / 1988	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	6 / 12 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	4 / 18 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		251	
	6 / 12 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 18 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.7	
	7 / 26 / 1988	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	6 / 12 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4 / 18 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		18.8	
	4 / 18 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 12 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	4 / 18 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2.4	
	4 / 18 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		21.1	
	7 / 26 / 1988	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	6 / 12 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		2	
	4 / 18 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	6 / 12 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	6 / 12 / 1990	1	03503	BETA, DISSOLVED (PC/L)		4.4	3.4
	6 / 12 / 1990	1	34200	ACENAPHTHYLENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34205	ACENAPHTHENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34220	ANTHRACENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34230	BENZO(B)FLUORANTHENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34242	BENZO(K)FLUORANTHENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34247	BENZO-(A)-PYRENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34253	A-BHC-ALPHA, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	34255	B-BHC-BETA, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	34273	BIS (2-CHLOROETHYL) ETHER, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34278	BIS (2-CHLOROETHOXY) METHANE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34283	BIS (2-CHLOROISOPROPYL) ETHER, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34320	CHRYSENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34336	DIETHYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34341	DIMETHYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34346	1,2-DIPHENYLHYDRAZINE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34351	ENDOSULFAN SULFATE, TOTAL, UG/L	<	21.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 12 / 1990	1	34356	ENDOSULFAN - BETA, TOTAL, UG/L	<	21.	
	6 / 12 / 1990	1	34361	ENDOSULFAN - ALPHA, TOTAL, UG/L	<	21.	
	6 / 12 / 1990	1	34366	ENDRIN ALDEHYDE, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	34376	FLUORANTHENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34381	FLUORENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34386	HEXACHLOROCYCLOPENTADIENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34396	HEXACHLOROETHANE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34403	INDENO (1,2,3-CD) PYRENE	<	5.	
	6 / 12 / 1990	1	34408	ISOPHORONE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34428	N-NITROSO-DI-N-PROPYLAMINE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34433	N-NITROSODIPHENYLAMINE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34438	N-NITROSODIMETHLAMINE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34447	NITROBENZENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34461	PHENANTHRENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34469	PYRENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34521	BENZO(GH)PERYLENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34527	BENZO(A) ANTHRACENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34536	1,2-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34551	1,2,4-TRICHLOROBENZENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34566	1,3-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34571	1,4-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34581	2-CHLORONAPHTHALENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34591	2-NITROPHENOL, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	34596	DI-N-OCTYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34601	2,4-DICHLOROPHENOL, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	34606	2,4-DIMETHYLPHENOL, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	34611	2,4-DINITROTOLUENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34616	2,4-DINITROPHENOL, TOTAL, UG/L	<	21.	
	6 / 12 / 1990	1	34621	2,4,6-TRICHLOROPHENOL, TOTAL, UG/L	<	11.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 12 / 1990	1	34626	2,6-DINITROTOLUENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34631	3,3'-DICHLOROBENZIDINE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34636	4-BROMOPHENYL PHENYL ETHER, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34641	4-CHLOROPHENYL PHENYL ETHER, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	34646	4-NITROPHENOL, TOTAL, UG/L	<	21.	
	6 / 12 / 1990	1	34694	PHENOL, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	34696	NAPHTHALENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	39032	PENTACHLOROPHENOL (PCP), TOTAL, UG/L	<	21.	
	6 / 12 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		164	
	4 / 18 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		166.0	
	6 / 12 / 1990	1	39100	BIS(2-ETHYLHEXYL) PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	39110	DI-N-BUTYL PHTHALATE, TOTAL, UG/L		1.	
	6 / 12 / 1990	1	39120	BENZIDINE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	39330	ALDRIN, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	39340	GAMMA-BHC (LINDANE), TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	39380	DIELDRIN, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	39390	ENDRIN, TOTAL, UG/L	<	21.	
	6 / 12 / 1990	1	39410	HEPTACHLOR, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	39420	HEPTACHLOR EPOXIDE, TOTAL, UG/L	<	21.	
	6 / 12 / 1990	1	39700	HEXACHLOROBENZENE (HCB), TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	39702	HEXACHLOROBUTADIENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	46323	DELTA-BHC, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	51002	2,6-DINITRO-2-CRESOL, TOTAL, UG/L	<	21.	
	6 / 12 / 1990	1	51003	BUTYLBENZYL PHTHALATE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	51004	DIBENZO (A,H) ANTHRACENE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	51005	4,4'-DDE, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	51006	4,4'-DDD, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	51007	4,4'-DDT, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6259102	4 / 18 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	6 / 12 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.1	
	4 / 18 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.05	
	7 / 26 / 1988	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	6 / 12 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	6 / 12 / 1990	1	77421	4-CHLORO-3-CRESOL, TOTAL, UG/L	<	11.	
	6 / 12 / 1990	1	77579	DIPHENYLAMINE, TOTAL, UG/L	<	5.	
	6 / 12 / 1990	1	77966	CHLOROPHENOL, TOTAL, UG/L	<	11.	
6259103	4 / 12 / 1941	1	01046	IRON, DISSOLVED (UG/L AS FE)		390.	
	8 / 18 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	10 / 7 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		45	
	9 / 15 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	9 / 19 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	9 / 24 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
6259104	9 / 19 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	9 / 24 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	4 / 12 / 1941	1	01045	IRON, TOTAL (UG/L AS FE)		340.	
6259105	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
6259106	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6259107	9 / 19 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	4 / 13 / 1944	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		63	
	8 / 17 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
6259109	9 / 16 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	2 / 8 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
6259110							
	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		75	
6259111							
	2 / 8 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		44	
6259112							
	2 / 8 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
6259114							
	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
6259117							
	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	4 / 13 / 1944	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		51	
6259119							
	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		51	
6259120							
	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
6259121							
	2 / 11 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
6259122							
	2 / 8 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
6259123							
	10 / 23 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6259124	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	10 / 7 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	9 / 30 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	9 / 15 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	9 / 19 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	9 / 24 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
6259401	9 / 11 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	10 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	11 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		60	
	9 / 22 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	9 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	10 / 2 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	9 / 1 / 1967	1	01020	BORON, DISSOLVED (UG/L AS B)		100.	
	9 / 1 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		600.	
6259404	10 / 24 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	9 / 10 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	10 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	9 / 29 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	9 / 26 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
6259406	2 / 19 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
6259407	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
6259408	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6259410							
	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
6259411							
	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		16	
6259412							
	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
6259413							
	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
6259414							
	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		148	
6259415							
	2 / 10 / 1941	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
6302101							
	4 / 4 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		219.	